



Notice of Intent for the Offshore Subcategory of the Oil and Gas Extraction Point Source Category for the Western Portion of the Outer Continental Shelf of the Gulf of Mexico (GMG290000)

U.S. EPA Region 6 Offshore General Permits Mail Code 6EN-WC1445 Ross Ave., Suite 1200 Dallas, TX 75202-2733

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section B intends to be authorized to discharge pollutants to Federal waters of the Gulf of Mexico seaward of the outer boundary of the territorial seas offshore of Louisiana and Texas (77 Fed. Reg. No. 196, p. 61605, October 10, 2012, <http://www.epa.gov/region6/water/npdes/genpermit/gmg290000final/gmg290000finalpermit2012.pdf>) www.epa.gov/region6/water/npdes/genpermit/. Submission of the NOI also constitutes notice that the party identified in Section B of this form has read, understands, and meets the eligibility conditions in the Regulated Entities section of the Final General Permit for the above mentioned permit and agrees to comply with all applicable terms and conditions of this General Permit. In order to be granted coverage, all information required on this form must be completed unless designated as optional. Please read and make sure you comply with all permit requirements.

Select a NPDES ID *

GMG290615: Cantium, LLC

Organization Formal Name *

Cantium, LLC

Reason for Submission *

☐ Change operator legal name and address

☒ Add structures

☐ Change structure information

☐ Delete structures

☐ Add limit set(s) for an existing permitted feature

☐ Delete limit set(s) from an existing permitted feature

Add Structures

Non-Sensitive Areas

Lease Block 1

Lease Area Block Name *

Bay Marchand

Lease Area Block Number *

2

Lease Area Block BOEM Number *

OCS-G00369

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	BM 2 - N	+	23.037016	-	90.1282402

Water Depth (in feet)	Built after 07/17/2006? *
48	No

<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)

Structure 2

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	BM 2 - CG	+	29.031178	-	90.1444102

Water Depth (in feet)	Built after 07/17/2006? *
47	No

<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)

Structure 3

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	BM 2 - #73	+	29.030887	-	90.143258

Water Depth (in feet)	Built after 07/17/2006? *
47	No

<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)

Structure 4

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	BM 2 - SG	+	29.043885	-	90.1539570

Water Depth (in feet)	Built after 07/17/2006? *
50	No

<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)

Structure 5

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	BM 2 - CD	+	29.049732	-	90.1281068

Water Depth (in feet)	Built after 07/17/2006? *
45	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 6

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	BM 2 - SG	+	29.064749	-	90.1297670

Water Depth (in feet)	Built after 07/17/2006? *
45	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 7

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	BM 2 - KK	+	29.046701	-	90.1364090

Water Depth (in feet)	Built after 07/17/2006? *
45	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 2

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
Bay Marchand	3	OCS-G00370

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	BM 3 - KN	+	29.046129	-	90.1616378

Water Depth (in feet)	Built after 07/17/2006? *
39	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 2

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	BM 3 - FF	+	29.036154	-	90.1682170

Water Depth (in feet)	Built after 07/17/2006? *
40	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 3

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	BM 3 - #13 & #15	+	29.047021	-	90.162566

Water Depth (in feet)	Built after 07/17/2006? *
39	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 3

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
Breton Sound	55	OCS-G01372

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	BS55 - F	+	29.413602	-	89.0385508

Water Depth (in feet)	Built after 07/17/2006? *
33	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 2

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	BS55 - FA	+	29.417841	-	89.0537940

Water Depth (in feet)	Built after 07/17/2006? *
28	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 3

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	BS55 - EB	+	29.423291	-	89.0276730

Water Depth (in feet)	Built after 07/17/2006? *
35	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 4

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	BS55 - EC	+	29.412329	-	89.0165400

Water Depth (in feet)	Built after 07/17/2006? *
35	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 4

Lease Area Block Name *

Breton Sound

Lease Area Block Number *

56

Lease Area Block BOEM Number *

OCS-G04123

Structure 1

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	BS 56 - BD	+	29.445134	-	88.979460

Water Depth (in feet)

39

Built after 07/17/2006? *

No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 5

Lease Area Block Name *

Grand Isle

Lease Area Block Number *

26

Lease Area Block BOEM Number *

OCS-G00390

Structure 1

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	GI 26 - X	+	29.056254	-	90.1161610

Water Depth (in feet)

50

Built after 07/17/2006? *

No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 6

Lease Area Block Name *

Grand Isle

Lease Area Block Number *

27

Lease Area Block BOEM Number *

OCS-G00392

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	GI 37 - R	+	29.043045	-	90.1208950

Water Depth (in feet)	Built after 07/17/2006? *
49	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 2

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	GI 37 - CS	+	29.040471	-	90.1253450

Water Depth (in feet)	Built after 07/17/2006? *
50	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 7

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
Grand Isle	86	OCS-G05660

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	GI 86 - A	+	28.670031	-	90.1292140

Water Depth (in feet)	Built after 07/17/2006? *
219	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 8

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
Main Pass	142	OCS-G01313

Structure 1

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	MP 142 - C	+	29.278181	-	88.7597380

Water Depth (in feet)	Built after 07/17/2006? *
201	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 9

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
Main Pass	144	OCS-G01634

Structure 1

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	BM 144 - A	+	29.292398	-	88.6690900

Water Depth (in feet)	Built after 07/17/2006? *
207	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 2

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	BM 144 - BA	+	29.289994	-	88.6653290

Water Depth (in feet)	Built after 07/17/2006? *
210	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 10

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
Main Pass	298	OCS-G01315

Structure 1

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	MP 298 - A	+	29.275322	-	88.7420160

Water Depth (in feet)	Built after 07/17/2006? *
210	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 11

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
Main Pass	200	OCS-G01316

Structure 1

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	MP 299 - AA	+	29.283031	-	88.7518906

Water Depth (in feet)	Built after 07/17/2006? *
207	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 2

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	MP 299 - BA	+	29.283652	-	88.7710730

Water Depth (in feet)	Built after 07/17/2006? *
205	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 3

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 299 - BB	+	29.257250	-	88.7729890

Water Depth (in feet)	Built after 07/17/2006? *
231	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 4

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 299 - DA	+	29.260464	-	88.7472235

Water Depth (in feet)	Built after 07/17/2006? *
217	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 5

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 299 - D	+	29.252824	-	88.7574600

Water Depth (in feet)	Built after 07/17/2006? *
217	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 12

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
Main Pass	30	OCS-G04903

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 30 - A	+	29.468553	-	88.9501380

Water Depth (in feet)	Built after 07/17/2006? *
40	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 13

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
Main Pass	300	OCS-G01317

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 300 - B	+	29.263732	-	88.7816570

Water Depth (in feet)	Built after 07/17/2006? *
210	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 14

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
Main Pass	313	OCC-G04127

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 313 - A	+	29.126463	-	88.7792650

Water Depth (in feet)	Built after 07/17/2006? *
270	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 15

Lease Area Block Name *

Main Pass

Lease Area Block Number *

37

Lease Area Block BOEM Number *

OCS-G01295

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 37 - BE	+	29.426768	-	88.9208320

Water Depth (in feet)

55

Built after 07/17/2006? *

No

<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)

Lease Block 16

Lease Area Block Name *

Main Pass

Lease Area Block Number *

40

Lease Area Block BOEM Number *

OCS-G00373

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 40 - P	+	29.408705	-	88.9585960

Water Depth (in feet)

48

Built after 07/17/2006? *

No

<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)

Structure 2

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 40 - BF	+	29.392791	-	88.9655447

Water Depth (in feet)

53

Built after 07/17/2006? *

No

<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)

Structure 3

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	MP 40 - BC	+	29.400089	-	88.9607040

Water Depth (in feet)	Built after 07/17/2006? *
55	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 4

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	MP 40 - #8	+	29.408175	-	88.9560868

Water Depth (in feet)	Built after 07/17/2006? *
55	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 17

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
Main Pass	41	OCS-G00374

Structure 1

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	MP 41 - A	+	29.373804	-	88.0123550

Water Depth (in feet)	Built after 07/17/2006? *
43	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 2

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 41 - BB	+	29.399934	-	88.9697220

Water Depth (in feet)	Built after 07/17/2006? *
51	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 3

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 41 - C-AUX	+	29.398410	-	88.0122760

Water Depth (in feet)	Built after 07/17/2006? *
39	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 4

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 41 - J	+	29.403858	-	89.0045020

Water Depth (in feet)	Built after 07/17/2006? *
40	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 5

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 41 - O	+	29.399934	-	88.9697220

Water Depth (in feet)	Built after 07/17/2006? *
51	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 6

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 41 - JA	+	29.405828	-	88.9943605

Water Depth (in feet)	Built after 07/17/2006? *
42	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 7

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 41 - BA	+	29.409536	-	88.982372

Water Depth (in feet)	Built after 07/17/2006? *
43	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 8

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 41 - AD	+	29.372507	-	88.9946127

Water Depth (in feet)	Built after 07/17/2006? *
44	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 9

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 41 - CC	+	29.392105	-	88.9935900

Water Depth (in feet)	Built after 07/17/2006? *
44	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 10

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 41 - AC	+	29.375845	-	88.9890390

Water Depth (in feet)	Built after 07/17/2006? *
53	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 11

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 41 - CA	+	29.393634	-	89.0102260

Water Depth (in feet)	Built after 07/17/2006? *
39	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 12

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 41 - CD	+	29.381456	-	88.9874950

Water Depth (in feet)	Built after 07/17/2006? *
53	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 13

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 41 - AE	+	24.404770	-	88.9685750

Water Depth (in feet)	Built after 07/17/2006? *
40	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 18

Lease Area Block Name *

Main Pass

Lease Area Block Number *

42

Lease Area Block BOEM Number *

OCS-G0375

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 42 - CB	+	29.406322	-	89.0199620

Water Depth (in feet)

38

Built after 07/17/2006? *

No

<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)

Lease Block 19

Lease Area Block Name *

Main Pass

Lease Area Block Number *

43

Lease Area Block BOEM Number *

OCS-G01452

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 43 - K	+	29.400505	-	89.0738280

Water Depth (in feet)

27

Built after 07/17/2006? *

No

<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)

Lease Block 20

Lease Area Block Name *

Main Pass

Lease Area Block Number *

44

Lease Area Block BOEM Number *

OCS-G03338

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 44 - KC	+	29.396894	-	89.107079

Water Depth (in feet)	Built after 07/17/2006? *
60	No

<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input checked="" type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)

Lease Block 21

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
Main Pass	58	OCS-G00378

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 58 - AA	+	29.367114	-	88.992980

Water Depth (in feet)	Built after 07/17/2006? *
53	No

<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)

Structure 2

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 58 - AB	+	29.351199	-	88.9820800

Water Depth (in feet)	Built after 07/17/2006? *
62	No

<input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT)	<input type="checkbox"/> Cooling Water Intake Structure (CW)	<input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF)	<input checked="" type="checkbox"/> Hydrate Control Fluid (HF)	<input checked="" type="checkbox"/> Maintenance BMP (WM)
<input checked="" type="checkbox"/> Misc Discharge (MD)	<input checked="" type="checkbox"/> Produced Water (PR)	<input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW)	<input type="checkbox"/> Stock Base Fluid Drill (SB)	<input checked="" type="checkbox"/> Well Fluids (WF)

Lease Block 22

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
Main Pass	59	OCS-G03194

Structure 1

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	MP 59 - I	+	29.359292	-	88.9345660

Water Depth (in feet)	Built after 07/17/2006? *
68	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 2

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	MP 59 - A	+	29.340851	-	88.9592818

Water Depth (in feet)	Built after 07/17/2006? *
68	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 23

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
Main Pass	42	OCS-G00375

Structure 1

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	MP 42 - D	+	29.400781	-	89.0349050

Water Depth (in feet)	Built after 07/17/2006? *
35	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 2

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 42 - E	+	29.408629	-	89.144710

Water Depth (in feet)	Built after 07/17/2006? *
37	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 3

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 42 - EH	+	29.408629	-	89.0144710

Water Depth (in feet)	Built after 07/17/2006? *
37	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 4

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 42 E-15	+	29.409961	-	89.0265310

Water Depth (in feet)	Built after 07/17/2006? *
36	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 5

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 42 - I	+	29.391889	-	89.0512680

Water Depth (in feet)	Built after 07/17/2006? *
33	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 6

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 42 - L	+	29.400787	-	89.0352193

Water Depth (in feet)	Built after 07/17/2006? *
35	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 7

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 42 - M QRTS	+	29.400787	-	89.0352190

Water Depth (in feet)	Built after 07/17/2006? *
35	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 8

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	MP 42 - #15	+	29.409961	-	89.026531

Water Depth (in feet)	Built after 07/17/2006? *
36	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 24

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
South Timbalier	23	OCS-G00386

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	ST 23 - CW	+	29.006896	-	90.1590490

Water Depth (in feet)	Built after 07/17/2006? *
50	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 2

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	ST 23 - S	+	29.027700	-	90.1547820

Water Depth (in feet)	Built after 07/17/2006? *
44	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 3

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	ST 23 - EE	+	29.020315	-	90.1703090

Water Depth (in feet)	Built after 07/17/2006? *
50	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 25

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *
South Timbalier	23	OCS-G00166

Structure 1

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	ST 23 - CC	+	29.006896	-	90.1590490

Water Depth (in feet)	Built after 07/17/2006? *
50	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 2

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	ST 23 - CI	+	28.995231	-	90.1652808

Water Depth (in feet)	Built after 07/17/2006? *
50	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 3

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	ST 23 - BB	+	28.991917	-	90.1689630

Water Depth (in feet)	Built after 07/17/2006? *
51	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 4

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	ST 23 - SJ	+	29.025264	-	90.1609180

Water Depth (in feet)	Built after 07/17/2006? *
50	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Lease Block 26

Lease Area Block Name *

South Timbalier

Lease Area Block Number *

23

Lease Area Block BOEM Number *

OCS-G00387

Structure 1

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	ST 23 - SD	+	29.019893	-	90.1824470

Water Depth (in feet)

50

Built after 07/17/2006? *

No

- ☒ Chem. Treated Misc. Discharge (CT)
 ☐ Cooling Water Intake Structure (CW)
 ☒ Drilling Fluids and Cuttings (DF)
 ☒ Hydrate Control Fluid (HF)
 ☒ Maintenance BMP (WM)
- ☒ Misc Discharge (MD)
 ☒ Produced Water (PR)
 ☒ Sanitary & Domestic WW, Deck Drainage (WW)
 ☐ Stock Base Fluid Drill (SB)
 ☒ Well Fluids (WF)

Lease Block 27

Lease Area Block Name *

South Timbalier

Lease Area Block Number *

24

Lease Area Block BOEM Number *

OCS-G00387

Structure 1

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	ST 24 - U	+	29.025958	-	90.1422120

Water Depth (in feet)

50

Built after 07/17/2006? *

No

- ☒ Chem. Treated Misc. Discharge (CT)
 ☐ Cooling Water Intake Structure (CW)
 ☒ Drilling Fluids and Cuttings (DF)
 ☒ Hydrate Control Fluid (HF)
 ☒ Maintenance BMP (WM)
- ☒ Misc Discharge (MD)
 ☒ Produced Water (PR)
 ☒ Sanitary & Domestic WW, Deck Drainage (WW)
 ☐ Stock Base Fluid Drill (SB)
 ☒ Well Fluids (WF)

Structure 2

Type *	Description	Latitude (in decimal degrees) *		Longitude (in decimal degrees) *	
Platform	ST 24 - U AUX	+	29.026075	-	90.1424739

Water Depth (in feet)

50

Built after 07/17/2006? *

No

- ☒ Chem. Treated Misc. Discharge (CT)
 ☐ Cooling Water Intake Structure (CW)
 ☒ Drilling Fluids and Cuttings (DF)
 ☒ Hydrate Control Fluid (HF)
 ☒ Maintenance BMP (WM)
- ☒ Misc Discharge (MD)
 ☒ Produced Water (PR)
 ☒ Sanitary & Domestic WW, Deck Drainage (WW)
 ☐ Stock Base Fluid Drill (SB)
 ☒ Well Fluids (WF)

Structure 3

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	ST 24 - SC	+	28.995278	-	90.1652780

Water Depth (in feet)	Built after 07/17/2006? *
50	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 4

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	ST 24 - CE	+	29.026426	-	90.1353990

Water Depth (in feet)	Built after 07/17/2006? *
51	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Structure 5

Type *	Description		Latitude (in decimal degrees) *		Longitude (in decimal degrees) *
Platform	ST 24 - CL	+	29.021526	-	90.1375220

Water Depth (in feet)	Built after 07/17/2006? *
60	No

- | | | | | |
|--|--|--|--|--|
| <input checked="" type="checkbox"/> Chem. Treated Misc. Discharge (CT) | <input type="checkbox"/> Cooling Water Intake Structure (CW) | <input checked="" type="checkbox"/> Drilling Fluids and Cuttings (DF) | <input checked="" type="checkbox"/> Hydrate Control Fluid (HF) | <input checked="" type="checkbox"/> Maintenance BMP (WM) |
| <input checked="" type="checkbox"/> Misc Discharge (MD) | <input checked="" type="checkbox"/> Produced Water (PR) | <input checked="" type="checkbox"/> Sanitary & Domestic WW, Deck Drainage (WW) | <input type="checkbox"/> Stock Base Fluid Drill (SB) | <input checked="" type="checkbox"/> Well Fluids (WF) |

Sensitive Areas

Digital Signature Acknowledgement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations. 40 CFR 122.22(d)